

## Source Code Tools - Bug #119

### if/else refactor adding begin/end in a string literal

09/22/2018 11:19 PM - Wil van Antwerpen

<b>Status:</b> New	<b>Start date:</b> 09/22/2018
<b>Priority:</b> Normal	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	
<b>Description</b> Another oddity, on begin/end. This was probably run more than once...  this:  if (found) dfwritepos ("Total onhand for all Non-Designer Jewelry -" * codemast.description) 0.1 (rgb_blue+font_bold) 0 else dfwritepos "Total onhand for all Non-Designer Jewelry - no (or unknown) primary stone" 0.1 (rgb_blue+font_bold) 0  became this...  if (found) dfwritepos ("Total onhand Begin for all Non-Designer Jewelry -" * codemast.description) 0.1 (rgb_blue+font_bold) 0 End else dfwritepos "Total onhand Begin for all Non-Designer Jewelry - no (or unknown) primary stone" 0.1 (rgb_blue+font_bold) 0 End  from: <a href="https://support.dataaccess.com/Forums/showthread.php?63084-Release-Source-Code-Tools&amp;p=338100#post338100">https://support.dataaccess.com/Forums/showthread.php?63084-Release-Source-Code-Tools&amp;p=338100#post338100</a>	