

The Hammer - Bug #163

Trouble with codepages

09/06/2019 12:56 PM - Wil van Antwerpen

Status:	Resolved	Start date:	09/06/2019
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Description			
Raveen reported that he has some trouble with editing code where he uses the OEM drawing characters to draw a screen.			
Hi Wil,			
I'm trying to set the new Hammer (RC1) to use code page 437 (OEM-US,CP437)			
Procedure onPaged			
Send EditorMessage SCI_SETCODEPAGE 437			
End_Procedure			
But I can seem to do so – is it even possible ?			
I reason for this is, I can some DF3 source files I would like to edit which requires the code page to be set to 437			

History

#1 - 09/09/2019 11:27 AM - Wil van Antwerpen

This can be fixed as follows:

In cSciLexer.pkg change the default value of property pbAnsiMode to false:

```
Property Boolean pbAnsiMode      False    // If true translate text to ANSI on open and back  
to OEM on save
```

And add the line:

```
If (iCharSet<=0) Move SC_CHARSET_OEM to iCharSet
```

In procedure SetAdjustments in cEditorEdit.pkg and it works.

We will have to come up with a GUI setting for that as it is really missing.

#2 - 11/15/2019 09:52 PM - Wil van Antwerpen

- Status changed from New to Resolved

This is fixed in The Hammer 3, RC2 by adding an extra configuration option to the configuration screen.
File -> Hammer Options -> Editor -> Window

checkbox : OEM To ANSI translation

Uncheck it and then restart The Hammer.

Files

menuxxx-intendedLooks.png	39.2 KB	09/06/2019	Wil van Antwerpen
menuxxx.src.txt	1.92 KB	09/06/2019	Wil van Antwerpen