

## DfRefactor - Feature #190

### Unused variables to also delete blank line

01/11/2023 11:36 AM - Wil van Antwerpen

<b>Status:</b>	New	<b>Start date:</b>	01/11/2023
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Description</b>			
Suppose this fragment of code...			
<pre>Procedure SayHello   String sVariable    Send Info_Box "Hello!" End_Procedure</pre>			
It gets changed to...			
<pre>Procedure SayHello    Send Info_Box "Hello!" End_Procedure</pre>			
Would it be great that all blank lines gets deleted? I know it is something personal of each one. In my case I write variables, blank line, more code.			
Maybe a new refactoring tool can be developed, one that deletes blank lines just after "Procedure" (and similar) and just before "End_Procedure" (and similar). And if we accept this, then the tool can add a blank line just after variables declaration, before and after "Forward Send (and similar), before "Function_Return" (and similar).			
See: <a href="https://support.dataaccess.com/Forums/showthread.php?69407-DfRefactor-3-2-1-0-Unused-local-variables-also-delete-line">https://support.dataaccess.com/Forums/showthread.php?69407-DfRefactor-3-2-1-0-Unused-local-variables-also-delete-line</a>			